Now I'll build the game. Creating all the files in parallel:
Action: file_editor create /app/frontend/src/game/theme.ts --file-text "// Design tokens sourced from /app/design_guidelines.json
export const theme = {
color: {
surface: '#08080C',
surfaceSecondary: '#12121A',
surfaceTertiary: '#1C1C28',
onSurface: '#FFFFFF',
onSurfaceSecondary: '#E0E0E0',
onSurfaceTertiary: '#B0B0C0',
brand: '#00E5FF',
brandPrimary: '#00E5FF',
onBrandPrimary: '#08080C',
brandSecondary: '#FF5C00',
onBrandSecondary: '#FFFFFF',
brandTertiary: '#7B1FA2',
success: '#00E676',

warning: '#FFC400',
error: '#FF1744',
border: '#282838',
borderStrong: '#00E5FF',
divider: '#1E1E2C',
},
font: {
display: 'BebasNeue_400Regular',
text: 'Chivo_400Regular',
textBold: 'Chivo_700Bold',
},
spacing: { xs: 4, sm: 8, md: 12, lg: 16, xl: 24, '2xl': 32, '3xl': 48 },
radius: { sm: 2, md: 4, lg: 8, pill: 24 },
} as const;
"
Observation: Create successful: /app/frontend/src/game/theme.ts

Fetching debug logs for expo

==> /var/log/supervisor/expo.err.log <==

==> /var/log/supervisor/expo.out.log <==

yarn run v1.22.22

/app/frontend/node_modules/.bin/expo start --port 3000

env: load .env

env: export EXPO_TUNNEL_SUBDOMAIN EXPO_PACKAGER_HOSTNAME EXPO_PUBLIC_BACKEND_URL EXPO_USE_FAST_RESOLVER METRO_CACHE_ROOT EXPO_PACKAGER_PROXY_URL

Starting project at /app/frontend

Fast resolver is enabled.

Starting Metro Bundler

Waiting on http://localhost:3000

Logs for your project will appear below.

Fetching debug logs for backend

==> /var/log/supervisor/backend.err.log <==
INFO: Will watch for changes in these directories: ['/app/backend']
INFO: Uvicorn running on http://0.0.0.0:8001 (Press CTRL+C to quit)
INFO: Started reloader process [87] using WatchFiles
INFO: Started server process [102]
INFO: Waiting for application startup.
INFO: Application startup complete.
INFO: Shutting down
INFO: Waiting for application shutdown.
INFO: Application shutdown complete.
INFO: Finished server process [102]
INFO: Stopping reloader process [87]
INFO: Will watch for changes in these

directories: ['/app/backend']
INFO: Uvicorn running on http://0.0.0.0:8001
(Press CTRL+C to quit)
INFO: Started reloader process [244] using
WatchFiles
INFO: Started server process [277]
INFO: Waiting for application startup.
INFO: Application startup complete.

==> /var/log/supervisor/backend.out.log <==
INFO: 127.0.0.1:33610 - "GET / HTTP/1.1" 404
Not Found

Fetching debug logs for mongodb

tail: cannot open '/var/log/supervisor/
mongodb*.log' for reading: No such file or
directory